



AN ISO 9001:2015  
& 14001:2015  
CERTIFIED CO.



**BUILT<sup>®</sup>  
FOR  
WORK**



Manufactured & Marketed by :



**Marshal HMB (P) Ltd.**

**Factory Address**

F – 39, UPSIDC Industrial Area, Site – II,  
Unnao – 209801 (U.P.) INDIA  
sales@coffersafety.com  
+91-9839523556, 8081210590  
[www.coffersafety.com](http://www.coffersafety.com)

**Registered Office**

7/228 – A, Gutaiya Bazar, G.T. Road,  
Kanpur – 208002 (U.P.) INDIA





## SHIELD YOUR FEET WITH STYLE AND QUALITY



Dear Customer,

**T**rust all is well at your end. I wanted to take this opportunity to introduce "COFFER SAFETY", India's fastest growing safety footwear brand.

Marshal HMB Pvt. Ltd., is an ISO registered company based out of the leather capital of India, Kanpur, Uttar Pradesh. The company deals in manufacturing of safety footwear for workers who face hazardous work conditions and are prone to danger.

Coffer Safety uses the world's latest and foremost technology in making safety shoes by using PU Direct Injection Process (DIP) from Main Group Technologies, Italy. The process ensures that we make the best quality safety footwear adhering to the comfort for different kinds of work environment.

Our shoes have a unique combination of elegance and utility that are especially designed to facilitate comfortable walking and working safety against adverse and challenging conditions. Being engrained and designed with special additions, our shoes are heat, oil and abrasion resistant, shock absorbing as well as anti-skid.

Coffer Safety footwear is widely used in various industries such as Automobile, Construction, Sea Ports, Airports, Logistics, Oil and Gas Industries, Railways, Mining, Pharmaceutical, Healthcare, Electronics, Electrical Power House etc. We are prominent suppliers to these industries and have been supplying our products to large industrial groups across India over the years.

We look forward to hearing from you. You can contact us on below details.

Stay Safe.

Best regards,

**Assib Rahman** (MD & CEO)

**Zakiya Sadique** (Director)


Marshal HMB (P) Limited

## WHAT'S INSIDE


✦ Our Certifications	4
✦ Premium Series	5
✦ Sporty Series	11
✦ Boots	17
✦ Executive Series	20
✦ Vegan Series	22
✦ Basic Series	23
✦ Heat Resistance	28
✦ Ladies Series	31
✦ ESR Series	33
✦ ESD Series	36
✦ Metal Free Series	39
✦ PVC Series	42
✦ Shoe Anatomy	44
✦ Classification Chart	45



# OUR CERTIFICATIONS



BIS LICENSE



CLE CERTIFICATE



CE CERTIFICATE




FDDI CERTIFICATE



FIEO



DGFT




INTERTEK TEST REPORT



ISO 9001:2015



ISO 14001:2015



TRADE MARK CERTIFICATE



SAMA



Premium Series



# PREMIUM SERIES



Article# **1019 (Black)**

Upper **BUFF GRAIN CG LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
Size **05-12**

# PREMIUM SERIES



Article# **1024**

Upper **BUFF GRAIN APOLLO LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
Size **05-12**



Article# **1019**

Upper **CRAZY HORSE LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
Size **05-12**



Article# **1091**

Upper **BUFF GRAIN APOLLO LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
Size **05-12**



Article# **1022**

Upper **BUFF GRAIN CG LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
Size **05-12**



Article# **1238**

Upper **BUFF APOLLO PRINT TAN LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
Size **05-12**



# PREMIUM SERIES

# PREMIUM SERIES



Article# **1027/BLK**  
 Upper **BUFF GRAIN APOLLO LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
 Size **05-12**



Article# **1092/Y**  
 Upper **BUFF GRAIN BARTON (COMBO) LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
 Size **05-12**



Article# **1013/TAN**  
 Upper **BUFF GRAIN TAN BOOTY LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
 Size **05-12**



Article# **1003/Y**  
 Upper **BUFF GRAIN BARTON LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
 Size **05-12**



Article# **1030/BRN**  
 Upper **CRAZY HORSE BROWN LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MEMORY FOAM**  
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
 Size **05-12**



Article# **1092/BLUE**  
 Upper **BUFF GRAIN BARTON (COMBO) LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
 Size **05-12**





## PREMIUM SERIES



### Article# 1258

Upper BUFF NUBUCK BLACK LEATHER  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks MEMORY FOAM  
Sole DIRECT INJECTED PU MIDSOLE AND  
NITRILE RUBBER OUTSOLE WITH  
RESISTANCE TO ACID, ALKALI AND  
HEAT RESISTANCE UP TO 300°C FOR  
1 MINUTE  
Size



### Article# 1264/TAN

Upper BUFF APOLLO PRINT TAN LEATHER  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY  
ANTISTATIC SOLE, HEAT  
RESISTANCE UPTO 120 C  
MAXIMUM, SLIP**  
Size 05-12



## Sporty Series





# SPORTY SERIES

# SPORTY SERIES



Article# **1007**  
 Upper **BUFF GRAIN CG/SUEDE LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MEMORY FOAM**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



Article# **1025/CT**  
 Upper **BUFF SUEDE BROWN LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **COMPOSITE 200J EN 12568**  
 Insocks **MEMORY FOAM**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



Article# **1027/BEIGE**  
 Upper **BUFF SUEDE BEIGE LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MEMORY FOAM**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



Article# **1115/A**  
 Upper **BUFF GRAIN APOLLO LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MEMORY FOAM**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



Article# **1265**  
 Upper **BUFF SUEDE DARK BEIGE LATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MEMORY FOAM**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



Article# **1118/BLK**  
 Upper **BUFF NUBUCK BLACK LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MEMORY FOAM**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**







## SPORTY SERIES



### Article# **1030/HONEY**

Upper **BUFF NUBUCK HONEY LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MEMORY FOAM**  
Sole **PU SINGLE/DOUBLE DENSITY**  
**ANTISTATIC SOLE, HEAT**  
**RESISTANCE UPTO 120°C**  
**MAXIMUM, SLIP & ABRASION**  
**RESISTANCE**

Size **05-12**



### Article# **1033**

Upper **BUFF SUEDE BLACK LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MEMORY FOAM**  
Sole **PU SINGLE/DOUBLE DENSITY**  
**ANTISTATIC SOLE, HEAT**  
**RESISTANCE UPTO 120°C**  
**MAXIMUM, SLIP & ABRASION**  
**RESISTANCE**

Size **05-12**



### Article# **1034**

Upper **BUFF SUEDE LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MEMORY FOAM**  
Sole **PU SINGLE/DOUBLE DENSITY**  
**ANTISTATIC SOLE, HEAT**  
**RESISTANCE UPTO 120°C**  
**MAXIMUM, SLIP & ABRASION**  
**RESISTANCE**

Size **05-12**



# Boots





# BOOTS



Article# **5005**  
 Upper **BUFF GRAIN CG LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Puff **HEAT ACTIVATED SHEET**  
 Insocks **MEMORY FOAM**  
 Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
 Size **05-12**



Article# **1093**  
 Upper **BUFF BARTON PRINT LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Puff **HEAT ACTIVATED SHEET**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
 Size **05-12**



Article# **1223**  
 Upper **BUFF GRAIN CG BLACK LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Puff **HEAT ACTIVATED SHEET**  
 Insocks **MEMORY FOAM**  
 Sole **DIRECT INJECTED PU MIDSOLE AND NITRILE RUBBER OUTSOLE WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UP TO 300°C FOR 1 MINUTE**  
 Size **05 - 12**



Article# **1117/OG**  
 Upper **CANVAS OLIVE GREEN FABRIC**  
 Lining **TEXTILE FABRIC**  
 Toe Puff **HEAT ACTIVATED SHEET**  
 Insocks **PLAIN**  
 Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
 Size **05-12**



Article# **1126**  
 Upper **BUFF SUEDE BEIGE LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Puff **HEAT ACTIVATED SHEET**  
 Insocks **MEMORY FOAM**  
 Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
 Size **05-12**



Article# **1117/BLK**  
 Upper **CANVAS BLACK FABRIC**  
 Lining **TEXTILE FABRIC**  
 Toe Puff **HEAT ACTIVATED SHEET**  
 Insocks **PLAIN**  
 Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
 Size **05-12**





# Executive Series



## EXECUTIVE SERIES

Article# **1116/BRN**

Upper **BUFF GRAIN CG BROWN LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Puff **HEAT ACTIVATED SHEET**  
Insocks **PLAIN**  
Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
Size **05-12**



Article# **1116/BLK**

Upper **BUFF GRAIN CG BLACK LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Puff **HEAT ACTIVATED SHEET**  
Insocks **PLAIN**  
Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
Size **05-12**



Article# **5009**

Upper **BUFF CALF SMOOTH LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Puff **HEAT ACTIVATED SHEET**  
Insocks **MOULDED**  
Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**  
Size **05-12**





# Vegan Series




Article# **1015**  
Upper **WASHABLE WHITE MICROFIBRE**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY**  
**ANTISTATIC SOLE, HEAT**  
**RESISTANCE UPTO 120 C**  
**MAXIMUM, SLIP & ABRASION**  
**RESISTANCE**  
Size **05-12**



Article# **1089**  
Upper **WASHABLE WHITE MICROFIBRE**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY**  
**ANTISTATIC SOLE, HEAT**  
**RESISTANCE UPTO 120 C**  
**MAXIMUM, SLIP & ABRASION**  
**RESISTANCE**  
Size **05-12**



# Basic Series





## BASIC SERIES



### Article#1157

Upper **BUFF BARTON PRINT LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **PLAIN**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



### Article#1012

Upper **BUFF BARTON PRINT LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **PLAIN**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



### Article#1092/C

Upper **BUFF GRAIN BARTON (COMBO)  
 LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **PLAIN**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



### Article#1045

Upper **BUFF GRAIN BARTON (COMBO)  
 LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **PLAIN**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



### Article#1094/BLK

Upper **BUFF GRAIN BARTON LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



### Article#1094/BRN

Upper **BUFF GRAIN BOOTY BROWN  
 LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



# BASIC SERIES



Article# **1003**  
 Upper **BUFF GRAIN BARTON LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



Article# **1046**  
 Upper **BUFF GRAIN TAN BOOTY LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



Article# **1013/TAN**  
 Upper **BUFF GRAIN TAN BOOTY LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**

# BASIC SERIES



Article# **1130**  
 Upper **BUFF BARTON PRINT LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **PLAIN**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



Article# **1005**  
 Upper **BUFF GRAIN BARTON LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **STEEL 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**







# Heat Resistance



## HEAT RESISTANCE



**Article#1016**

**Upper** BUFF GRAIN BARTON LEATHER  
**Lining** TEXTILE FABRIC  
**Toe Cap** STEEL 200 J EN 12568  
**Insocks** MOULDED  
**Sole** DIRECT INJECTED PU MIDSOLE AND NITRILE RUBBER OUTSOLE WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300°C FOR 1 MINUTE  
**Size** 05-12



**Article#1162**

**Upper** BUFF GRAIN APOLLO LEATHER  
**Lining** TEXTILE FABRIC  
**Toe Cap** STEEL 200 J EN 12568  
**Insocks** MOULDED  
**Sole** DIRECT INJECTED PU MIDSOLE AND NITRILE RUBBER OUTSOLE ANTISTATIC WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300 C FOR 1 MINUTE  
**Size** 05-12



**Article#1163**

**Upper** BUFF GRAIN APOLLO LEATHER  
**Lining** TEXTILE FABRIC  
**Toe Cap** STEEL 200 J EN 12568  
**Insocks** MOULDED  
**Sole** DIRECT INJECTED PU MIDSOLE AND NITRILE RUBBER OUTSOLE ANTISTATIC WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300°C FOR 1 MINUTE  
**Size** 05-12





# HEAT RESISTANCE



**Article#1161**  
**Upper** BUFF GRAIN BARTON LEATHER  
**Lining** TEXTILE FABRIC  
**Toe Cap** STEEL 200 J EN 12568 WITH NON METALLIC METARSAL PROTECTION PLAIN  
**Insocks** MOULDED  
**Sole** NITRILE RUBBER SOLE WITH VULCANIZED PROCESS BLACK COLOR SOLE WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300°C FOR 1 MINUTE  
**Size** 05-12



**Article#1180**  
**Upper** BUFF GRAIN BARTON LEATHER  
**Lining** TEXTILE FABRIC  
**Toe Cap** STEEL 200 J EN 12568  
**Insocks** MOULDED  
**Sole** NITRILE RUBBER SOLE WITH VULCANIZED PROCESS BLACK COLOR SOLE WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300°C FOR 1 MINUTE  
**Size** 05-12



**Article#1181**  
**Upper** BUFF GRAIN BARTON LEATHER  
**Lining** TEXTILE FABRIC  
**Toe Cap** STEEL 200 J EN 12568  
**Insocks** MOULDED  
**Sole** NITRILE RUBBER SOLE WITH VULCANIZED PROCESS BLACK COLOR SOLE WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300 C FOR 1 MINUTE  
**Size** 05-12



# Ladies Series



**Article#1177**  
**Upper** BUFF GRAIN APOLLO LEATHER  
**Lining** TEXTILE FABRIC  
**Toe Cap** STEEL 200 J EN 12568  
**Insocks** MOULDED  
**Sole** PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE  
**Size** 02-08



**Article#1178**  
**Upper** BUFF GRAIN BARTON LEATHER  
**Lining** TEXTILE FABRIC  
**Toe Cap** STEEL 200 J EN 12568  
**Insocks** MOULDED  
**Sole** PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE  
**Size** 02-08



## LADIES SERIES



Article# 1255

Upper BUFF NUBUCK BLACK LEATHER

Lining TEXTILE FABRIC

Toe Cap STEEL 200 J EN 12568

Insocks MOULDED

Sole PU SINGLE/DOUBLE DENSITY  
ANTISTATIC SOLE, HEAT  
RESISTANCE UPTO 120°C  
MAXIMUM, SLIP & ABRASION  
RESISTANCE

Size 02-08



# ESR Series





# ESR SERIES



Article# **1012/ESR**  
 Upper **BUFF GRAIN BARTON LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **COMPOSITE 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY ESR SOLE UPTO 15KVA.**  
 Size **05-12**



Article# **1033/ESR**  
 Upper **BUFF SUEDE BLACK LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **COMPOSITE 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY ESR SOLE UPTO 15KVA.**  
 Size **05-12**



Article# **1022/ESR**  
 Upper **BUFF GRAIN CG LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **COMPOSITE 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY ESR SOLE UPTO 15KVA.**  
 Size **05-12**



Article# **1046/ESR**  
 Upper **BUFF GRAIN BOOTY TAN LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **COMPOSITE 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY ESR SOLE UPTO 15KVA.**  
 Size **05-12**



Article# **1025/ESR**  
 Upper **BUFF SUEDE BROWN LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **COMPOSITE 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY ESR SOLE UPTO 15KVA.**  
 Size







# ESD Series



## ESD SERIES



Article# **1012/ESD**

Upper **BUFF GRAIN TANGO LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY ESD**  
**SOLE UPTO 100 K $\Omega$  TO 100 M $\Omega$**   
Size **05-12**



Article# **1019/ESD**

Upper **CRAZY HORSE BROWN LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY**  
**ESD SOLE UPTO 100 K $\Omega$  TO 100**  
Size



Article# **1089/W/ESD**

Upper **WASHABLE MICROFIBRE WHITE**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL 200 J EN 12568**  
Insocks **MOULDED**  
Sole **PU SINGLE/DOUBLE DENSITY**  
**ESD SOLE UPTO 100 K $\Omega$  TO 100**  
Size





ESD SERIES




Article# **1089/B/ESD**

- Upper **WASHABLE MICROFIBER BLACK**
- Lining **TEXTILE FABRIC**
- Toe Cap **STEEL 200 J EN 12568**
- Insocks **MOULDED**
- Sole **PU SINGLE/DOUBLE DENSITY ESD**  
**SOLE UPTO 100 K $\Omega$  TO 100 M $\Omega$**
- Size **05-12**



*Metal free Series*





## METAL FREE SERIES



### Article# **1022/MF**

Upper **BUFF GRAIN CG LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **COMPOSITE 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**

## METAL FREE SERIES



### Article# **1089/W/MF**

Upper **WASHABLE MICROFIBRE WHITE**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **COMPOSITE 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



### Article# **1025/MF**

Upper **BUFF SUEDE BROWN LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **COMPOSITE 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



### Article# **1089/B/MF**

Upper **WASHABLE MICROFIBRE BLACK**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **COMPOSITE 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**



### Article# **1033/MF**

Upper **BUFF SUEDE BLACK LEATHER**  
 Lining **TEXTILE FABRIC**  
 Toe Cap **COMPOSITE 200 J EN 12568**  
 Insocks **MOULDED**  
 Sole **PU SINGLE/DOUBLE DENSITY  
 ANTISTATIC SOLE, HEAT  
 RESISTANCE UPTO 120°C  
 MAXIMUM, SLIP & ABRASION  
 RESISTANCE**  
 Size **05-12**





# PVC Series



## PVC SERIES



Article#**2001**

Upper **BUFF BARTON PRINT LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL TOE (ISI)**  
Insocks **PLAIN**  
Sole **PVC**  
Size **05-12**



Article#**2002**

Upper **BUFF BARTON PRINT LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL TOE (ISI)**  
Insocks **PLAIN**  
Sole **PVC**  
Size **05-12**



Article#**2001 BROWN**

Upper **BUFF BARTON PRINT LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL TOE (ISI)**  
Insocks **PLAIN**  
Sole **PVC**  
Size **05-12**



Article#**2003**

Upper **BUFF BARTON PRINT LEATHER**  
Lining **TEXTILE FABRIC**  
Toe Cap **STEEL TOE (ISI)**  
Insocks **PLAIN**  
Sole **PVC**  
Size **05-12**





# SHOE ANATOMY

# CLASSIFICATION CHART



- 1 JACKSON
- 2 RIDER
- 3 CHARLIE
- 4 LUCY
- 5 ROBERT
- 6 PETER
- 7 URBAN
- 8 CROMWELL
- 9 RINGO
- 10 MATRIX

**ESD**  
ESD safety shoes with electrical resistance ranging from 100K Ohms to 100 M Ohms, used in specialized industries like electronic, automobile, aerospace painting etc.

**Genuine Leather**  
Genuine leather with an option for German DIN standard. It's breathable, durable and water

**100% Metal Free**

**1,100N**  
Kevlar  
Lighter, Flexible and more comfortable than the traditional steel midsole. 100% protection over the entire surface of the sole 100% metal free Antistatic. EN12562:2010

**Cambrelle** Lining  
100% polyamide, breathable, absorbing and releasing moisture, abrasion resistant, odour free, antibacterial

**Fibreglass Toe**  
Steel/Non-metal Toe Cap  
Metal/Fibre toe cap as per European standards provides plenty of toe room and ensures there is no discomfort or fatigue even after long hours of use. Tested for energy level up to 200 Joules.

**Steel Toe**  
Anti Skid  
A skid resistant softer outsole made of rubber that is more slip resistant when exposed to water and oil than other outsole compounds.

**Polyurethane Sole**  
Available in Single or Double Density. Oil, acid and abrasion resistant, light weight and anti skid.

## UNMATCHED FEATURES

1.	Upper	100% Genuine leather breathable and skin friendly, exclusively made in our own state of the art tannery. 1. Thickness : 2,0 + 0,2 mm 2. Tear Strength : 120 N 3. Flexing Resistance : 1,50,000 cycles
2.	Lining	Imported 280 GSM non woven felt for vamp & Imported 150GSM Cambrelle type with foam/functional breathable textile for quarter. 1. Tear Strength 15 N 2. Abrasion : Dry-25,600 cycles and Wet-12,800 cycles
3.	Toe Cap	<b>Steel Toe Cap</b> - Imported EN marked powder coated heat treated rust resistant, smooth edges tested for impact resistance of 200 J. <b>Polymer Toe Cap (FRP Toe)</b> - Imported polymer 30% lighter, rust resistant, smooth edges tested for impact resistance of 200 J.
4.	Insole	2.00 mm thick non woven Anti static Insole tested for no surface tearing till 400 cycles.
5.	In-socks	Min 3.00mm molded arch supported EVA/PU in-socks
6.	Laces & Thread	Nylon, twisted and resistant to appropriate breaking load.
7.	Outsole	Directly Injected Double Density PU/PU, PU/TPU, PU/Rubber & EVA/Rubber out sole antiskid, antistatic, oil & fuel resistance. Our Shoes made on Direct Vulcanized rubber sole can withstand a temp. up to 300°C.
8.	Marking	



FOOTWEAR CLASSIFICATION ACCORDING TO PROTECTION LEVEL		CATEGORY MARKING				
EN ISO 20347 Occupational footwear		0B	01	02	03	04
EN ISO 20345 Safety Footwear; protection of toe against impact upto 200J and compression force of 15 kn		SB	S1	S2	S3	S4
SYMBOL	COVERED RISKS					
	Basic requirement	X	X	X	X	X
	Closed heel part	X	X	X	X	X
E	Energy absorption in heel area	X	X	X	X	X
A	Antistatic properties	X	X	X	X	X
WRU	Upper part: resistant to penetration and absorption of water	X	0		X	X
P	Protection of outsole complex against puncture	X	0		X	X
	Sole with outsole pattern	X	0	X	X	0
CI	Insole of outsole complex against cold	X	0	X	0	0
HI	Insole of outsole complex against heat	X	0	X	0	0
HRO	Outsole resistance against contact heat	X	0	X	0	0
WR	Footwear resistance to water	X	0	X	0	
FO	Outsole resistance to fuel (valid only for work footwear)	X	0	X	0	0

to be market OB. one more requirement from those for complete footwear E, A, P, CI, HI, WR is required to be fulfilled.

X = necessary, basic requirement, it must be fulfilled for specific category. 0 = not necessary, additional requirement, according to client's requirement.

EN ISO 20347:2004, EN ISO 20345:2004. dedicated to a product, guarantees the quality level defined by the European standards. If the footwear does not contain additional marking, protection against such risks is not included.

EN ISO 20344 - Testing methods for Safety, protective and work footwear.

EN ISO 20345 - Safety footwear (marking "SB, S1 - S5") with a toe cap resistant against 200 J impact and is kN pressure.

EN ISO 20346 - Protective footwear (marking "PB, P1 - P5") with a toe cap resistant against 200 J impact and IO kN pressure.

EN ISO 20347 - Occupational footwear (marking, "OB, O1 - O5") This footwear that does not contain any protective toe cap.

EN 50321 - Electrical insulating footwear for work in low voltage environment.





### Our PU Sole DIP Machine.

Direct Injection Technology -  
The PU, in liquid form is  
Injected into the closed  
mold (holding the upper) at  
high pressure. Thus we get  
the term "Direct Injection  
Moulding"



### Our Testing Laboratory for shoes.





