

The TAGRA logo, featuring a stylized orange 'T' icon on the left and the word 'TAGRA' in white capital letters on the right, with a trademark symbol (TM) to the upper right of the 'A'.




TAGRA™

About Tagra

Tagra manufactures performance footwear for the work, safety, military and security sectors. Our entire range is dedicated to the hard work and perseverance of those who risk their lives every day at work.

Quality First

- Using only the best compounds and chemicals
 - Leading-edge Desma technology for assembly
 - 45+ diverse quality checks
 - A sustainable production process
 - Customizations for maximum performance and protection
- 



Protecting The Protectors

Tagra's military shoes are an ode to the dedication and grit of those who risk their lives every day to get the job done. Built to be as tough as its wearers, our military-grade footwear ensures the comfort, safety and support of our armed forces.



VALOUR HI

ANKLE LENGTH
HIGH ANKLE

CATEGORY
MILITARY/SECURITY

SOLE
PU/RUBBER

UPPER
LEATHER

SPECIFICATIONS:

- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- TEMPERATURE RESISTANT
- ANKLE SUPPORT





VICTORY HI

ANKLE LENGTH
HIGH ANKLE

CATEGORY
MILITARY/SECURITY

SOLE
PU/RUBBER

UPPER
LEATHER

SPECIFICATIONS:

- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- TEMPERATURE RESISTANT
- ANKLE SUPPORT





TRIUMPH HI

ANKLE LENGTH
HIGH ANKLE

CATEGORY
MILITARY/SECURITY

SOLE
PU/SINGLE DENSITY

UPPER
LEATHER/TEXTILE

SPECIFICATIONS:

- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- ANKLE SUPPORT





ENDURE HI

ANKLE LENGTH
HIGH ANKLE

CATEGORY
MILITARY/SECURITY

SOLE
PU/SINGLE DENSITY

UPPER
LEATHER/TEXTILE

SPECIFICATIONS:

- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- ANKLE SUPPORT





TURBO MID

ANKLE LENGTH
MID ANKLE

CATEGORY
SAFETY

SOLE
PU/RUBBER

UPPER
CRAZY HORSE LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- TEMPERATURE RESISTANT
- ANKLE SUPPORT
- EXTRA PROTECTION





TURBO MID

ANKLE LENGTH
MID ANKLE

CATEGORY
SAFETY

SOLE
PU/RUBBER

UPPER
CRAZY HORSE LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- TEMPERATURE RESISTANT
- ANKLE SUPPORT
- EXTRA PROTECTION





PRIME MID H

ANKLE LENGTH
MID ANKLE

CATEGORY
SAFETY

SOLE
PU/SINGLE DENSITY

UPPER
**HAIRCELL BUFF
LEATHER/TEXTILE**

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- WIDE FITTING





PRIME MID B

ANKLE LENGTH
MID ANKLE

CATEGORY
SAFETY

SOLE
PU/SINGLE DENSITY

UPPER
BUFF BARTON LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- WIDE FITTING





True Strength Lies Within

Tagra's range of work, safety shoes are dedicated to the hard work and perseverance of the early risers and the world builders. Built to safeguard every occupational hazard, our boots are built to ensure the safety and comfort of miners.



SHIELD MID H

ANKLE LENGTH
MID ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
BUFF HAIRCELL LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





SHIELD MID B

ANKLE LENGTH
MID ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
BUFF BARTON LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





SUPREME MID

ANKLE LENGTH
MID ANKLE

CATEGORY
SAFETY

SOLE
PU/RUBBER

UPPER
SUEDE LEATHER + TEXTILE

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- TEMPERATURE RESISTANT
- WIDE FITTING





SUPREME LO

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/RUBBER

UPPER
SUEDE LEATHER + TEXTILE

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- TEMPERATURE RESISTANT
- WIDE FITTING





CARBON LO

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
SUEDE LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





POWER LO H

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
GRAIN HAIRSEL LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





POWER LO

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
**FULL GRAIN LEATHER
WITH MESH**

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





BOOST LO H

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/SINGLE DENSITY

UPPER
BUFF HAIRCELL LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- WIDE FITTING





Building grit from within

Tagra's construction safety shoes are a hat tip to the builders and have been made keeping every need of theirs in mind. Made to support all the hard work they put in, our footwear ensures nothing less than the comfort and safety they deserve.



BOOST LO B

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/SINGLE DENSITY

UPPER
BUFF BARTON LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- WIDE FITTING





ENGINE LO H

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
DOUBLE DENSITY

UPPER
GRAIN HAIRCELL LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- WIDE FITTING





ENGINE LO B

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
DOUBLE DENSITY

UPPER
GRAIN BARTON LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- WIDE FITTING





CHAMPION LO

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
BUFF NUBUCK LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





ACTIVE LO

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
BUFF SUEDE LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





MOLTEN LO H

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





MOLTEN LO B

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
BUFF BARTON LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





INTENSE LO

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
**BUFF SUEDE LEATHER
WITH MESH**

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





Stronger at work

Tagra's range of safety shoes for the shipping industry is for those who set sail around the seas. Built to withstand the wear and tear of the world, every shoe is a piece of advanced technology that guarantees the safety, comfort, and protection of its wearer.



THERMO LO

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
**BUFF SUEDE LEATHER
WITH MESH**

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





COMFORT LO

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
MICRO FIBER WHITE/MESH

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





DELIGHT LO

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
**BUFF BARTON DRILEX
LEATHER**

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





CARE LO

ANKLE LENGTH
LOW ANKLE

CATEGORY
SAFETY

SOLE
PU/DOUBLE DENSITY

UPPER
**BUFF BARTON
LEATHER/MESH**

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- DUAL DENSITY





FORT LO

ANKLE LENGTH
DERBY

CATEGORY
SAFETY

SOLE
PU

UPPER
LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- WIDE FITTING





ELAN LO

ANKLE LENGTH
OXFORD

CATEGORY
SAFETY

SOLE
PU

UPPER
LEATHER

SPECIFICATIONS:

- ISI STEEL TOE
- SLIP RESISTANT
- ANTI-STATIC
- BREATHABLE
- OIL RESISTANT
- WIDE FITTING





CLASSIC MID

ANKLE LENGTH
MID ANKLE

CATEGORY
SAFETY

SOLE
PU/RUBBER

UPPER
SYNTHETIC PU/TEXTILE

SPECIFICATIONS:

- SLIP RESISTANT
- WIDE FITTING
- ANTI-STATIC
- OIL RESISTANT
- TEMPERATURE RESISTANT
- ANKLE SUPPORT





 **TAGRA™**
SIMPLY TOUGH

www.tagra.in



TATA

TATA INTERNATIONAL



📍 TATA INTERNATIONAL LIMITED

95/1, Poondi Road, Vaniyan Chathiram, Sumaithangi Post, Kaveripakkam,
Walajapet Taluk, Ranipet, Tamil Nadu - 632508.

✉ info.tagra@tatainternational.com 📞 Toll free No : 1800 3000 6105

